

|           | NIPPLES                 |            |        |
|-----------|-------------------------|------------|--------|
| PART NO   | DESCRIPTION             | MAX<br>PSI | QTY    |
| NIP025-SH | 1/4" SHORT POLY NIPPLE  | 300        | 10/BAG |
| NIP038-SH | 3/8" SHORT POLY NIPPLE  | 300        | 10/BAG |
| NIP050-SH | ½" SHORT POLY NIPPLE    | 300        | 10/BAG |
| NIP050-3  | ½" X 3" POLY NIPPLE     | 300        | 10/BAG |
| NIP075-SH | 3/4" SHORT POLY NIPPLE  | 300        | 10/BAG |
| NIP075-4  | 3/4" X 4" POLY NIPPLE   | 300        | 10/BAG |
| NIP075-6  | 3/4" X 6" POLY NIPPLE   | 300        | 10/BAG |
| NIP100-SH | 1" SHORT POLY NIPPLE    | 300        | 10/BAG |
| NIP100-4  | 1" X 4" POLY NIPPLE     | 300        | 10/BAG |
| NIP100-6  | 1" X 6" POLY NIPPLE     | 300        | 10/BAG |
| NIP125-SH | 11/4" SHORT POLY NIPPLE | 300        | 10/BAG |
| NIP125-4  | 11/4" X 4" POLY NIPPLE  | 300        | 10/BAG |
| NIP125-6  | 11/4" X 6" POLY NIPPLE  | 300        | 10/BAG |
| NIP150-SH | 1½" SHORT POLY NIPPLE   | 300        | 10/BAG |
| NIP150-3  | 1½" X 3" POLY NIPPLE    | 300        | 10/BAG |
| NIP150-4  | 1½" X 4" POLY NIPPLE    | 300        | 10/BAG |
| NIP150-5  | 1½" X 5" POLY NIPPLE    | 300        | 10/BAG |
| NIP150-6  | 1½" X 6" POLY NIPPLE    | 300        | 10/BAG |
| NIP200-SH | 2" SHORT POLY NIPPLE    | 300        | 10/BAG |
| NIP200-4  | 2" X 4" POLY NIPPLE     | 300        | 10/BAG |
| NIP200-6  | 2" X 6" POLY NIPPLE     | 300        | 10/BAG |
| NIP300-SH | 3" SHORT POLY NIPPLE    | 300        | 1      |
| NIP300-4  | 3" X 4" POLY NIPPLE     | 300        | 1      |
| NIP300-6  | 3" X 6" POLY NIPPLE     | 300        | 1      |
| NIP400-SH | 4" SHORT POLY NIPPLE    | 300        | 1      |



|           | REDUCING NIPPLES  |            |        |
|-----------|---|------------|--------|
| PART NO   | DESCRIPTION   | MAX<br>PSI | QTY    |
| RN050-038 | ½" X 3/8" POLY REDUCING NIPPLE                          | 300        | 10/BAG |
| RN075-050 | <sup>3</sup> ⁄ <sub>4</sub> " X ½" POLY REDUCING NIPPLE | 300        | 10/BAG |
| RN100-050 | 1" X ½" POLY REDUCING NIPPLE                            | 300        | 10/BAG |
| RN100-075 | 1" X 3/4" POLY REDUCING NIPPLE                          | 300        | 10/BAG |
| RN125-075 | 11/4" X 3/4" POLY REDUCING NIPPLE                       | 300        | 10/BAG |
| RN125-100 | 11/4" X 1" POLY REDUCING NIPPLE                         | 300        | 10/BAG |
| RN150-100 | 1½" X 1" POLY REDUCING NIPPLE                           | 300        | 10/BAG |
| RN150-125 | 1½" X1¼" POLY REDUCING NIPPLE                           | 300        | 10/BAG |
| RN200-125 | 2" X 11/4" POLY REDUCING NIPPLE                         | 300        | 10/BAG |
| RN200-150 | 2" X 1½" POLY REDUCING NIPPLE                           | 300        | 10/BAG |
| RN300-200 | 3" X 2" POLY REDUCING NIPPLE                            | 300        | 1      |



#### PIPE COUPLINGS MAX PSI PART NO QTY **DESCRIPTION** 10/BAG CPLG025 300 1/4" POLY PIPE COUPLING CPLG038 3/8" POLY PIPE COUPLING 300 10/BAG CPLG050 300 1/2" POLY PIPE COUPLING 10/BAG CPLG075 300 10/BAG 3/4" POLY PIPE COUPLING CPLG100 1" POLY PIPE COUPLING 300 10/BAG CPLG125 11/4" POLY PIPE COUPLING 300 10/BAG CPLG150 1½" POLY PIPE COUPLING 300 10/BAG CPLG200 2" POLY PIPE COUPLING 300 10/BAG CPLG300 3" POLY PIPE COUPLING 1

| 200                |                                     |            |        |  |
|--------------------|-------------------------------------|------------|--------|--|
| REDUCING COUPLINGS |                                     |            |        |  |
| PART NO            | DESCRIPTION                         | MAX<br>PSI | QTY    |  |
| RC100-075          | 1" X 3/4" POLY REDUCING COUPLING    | 300        | 10/BAG |  |
| RC150-100          | 1½" X 1" POLY REDUCING COUPLING     | 300        | 10/BAG |  |
| RC150-125          | 11/2" X11/4" POLY REDUCING COUPLING | 300        | 10/BAG |  |
| RC200-050          | 2" X ½" POLY REDUCING COUPLING      | 300        | 10/BAG |  |
| RC200-100          | 2" X 1" POLY REDUCING COUPLING      | 300        | 10/BAG |  |
| RC200-125          | 2" X 11/4" POLY REDUCING COUPLING   | 300        | 10/BAG |  |
| RC200-150          | 2" X 1½" POLY REDUCING COUPLING     | 300        | 10/BAG |  |
| RC300-200          | 3" X 2" POLY REDUCING COUPLING      | 300        | 1      |  |

| The state of the s | 7                                     |            |        |
|--|---------------------------------------|------------|--------|
| -  | REDUCING BUSHINGS                     |            |        |
| PART NO  | DESCRIPTION                           | MAX<br>PSI | QTY    |
| RB038-025  | 3/8" MPT X 1/4" FPT REDUCING BUSHING  | 300        | 10/BAG |
| RB050-025  | 1/2" MPT X 1/4" FPT REDUCING BUSHING  | 300        | 10/BAG |
| RB050-038  | ½" MPT X 3/8" FPT REDUCING BUSHING    | 300        | 10/BAG |
| RB075-018  | 3/4" MPT X 1/8" FPT REDUCING BUSHING  | 300        | 10/BAG |
| RB075-025  | 3/4" MPT X 1/4" FPT REDUCING BUSHING  | 300        | 10/BAG |
| RB075-038  | 3/4" MPT X 3/8" FPT REDUCING BUSHING  | 300        | 10/BAG |
| RB075-050  | 3/4" MPT X 1/2" FPT REDUCING BUSHING  | 300        | 10/BAG |
| RB100-025  | 1" MPT X 1/4" FPT REDUCING BUSHING    | 300        | 10/BAG |
| RB100-050  | 1" MPT X ½" FPT REDUCING BUSHING      | 300        | 10/BAG |
| RB100-075  | 1" MPT X 3/4" FPT REDUCING BUSHING    | 300        | 10/BAG |
| RB125-075  | 11/4" MPT X 3/4" FPT REDUCING BUSHING | 300        | 10/BAG |
| RB125-100  | 11/4" MPT X 1" FPT REDUCING BUSHING   | 300        | 10/BAG |
| RB150-075  | 1½" MPT X ¾" FPT REDUCING BUSHING     | 300        | 10/BAG |
| RB150-100  | 1½" MPT X 1" FPT REDUCING BUSHING     | 300        | 10/BAG |
| RB150-125  | 11/2" MPT X11/4" FPT REDUCING BUSHING | 300        | 10/BAG |
| RB200-075  | 2" MPT X 3/4" FPT REDUCING BUSHING    | 300        | 10/BAG |
| RB200-100  | 2" MPT X 1" FPT REDUCING BUSHING      | 300        | 10/BAG |
| RB200-125  | 2" MPT X 11/4" FPT REDUCING BUSHING   | 300        | 10/BAG |
| RB200-150  | 2" MPT X 11/2" FPT REDUCING BUSHING   | 300        | 10/BAG |
| RB300-150  | 3" MPT X 1½" FPT REDUCING BUSHING     | 300        | 1      |
| RB300-200  | 3" MPT X 2" FPT REDUCING BUSHING      | 300        | 1      |
| RB400-300  | 4" MPT X 3" FPT REDUCING BUSHING      | 300        | 1      |

### **PIPE FITTINGS**

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities

### **PIPE FITTINGS**

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities



|         | PIPE CAPS           |            |        |
|---------|---------------------|------------|--------|
| PART NO | DESCRIPTION         | MAX<br>PSI | QTY    |
| CAP050  | ½" POLY PIPE CAP    | 300        | 10/BAG |
| CAP075  | 3/4" POLY PIPE CAP  | 300        | 10/BAG |
| CAP100  | 1" POLY PIPE CAP    | 300        | 10/BAG |
| CAP125  | 11/4" POLY PIPE CAP | 300        | 10/BAG |
| CAP150  | 1½" POLY PIPE CAP   | 300        | 10/BAG |
| CAP200  | 2" POLY PIPE CAP    | 300        | 10/BAG |
| CAP300  | 3" POLY PIPE CAP    | 300        | 1      |



|         | CROSSES          |            |        |
|---------|------------------|------------|--------|
| PART NO | DESCRIPTION      | MAX<br>PSI | QTY    |
| CR025   | 1/4" POLY CROSS  | 300        | 10/BAG |
| CR038   | 3/8" POLY CROSS  | 300        | 10/BAG |
| CR050   | ½" POLY CROSS    | 300        | 5/BAG  |
| CR075   | 3/4" POLY CROSS  | 300        | 5/BAG  |
| CR100   | 1" POLY CROSS    | 300        | 5/BAG  |
| CR125   | 11/4" POLY CROSS | 300        | 1      |
| CR150   | 1½" POLY CROSS   | 300        | 1      |
| CR200   | 2" POLY CROSS    | 300        | 1      |



|         | PIPE PLUGS           |            |        |
|---------|----------------------|------------|--------|
| PART NO | DESCRIPTION          | MAX<br>PSI | QTY    |
| PLUG025 | 1/4" POLY PIPE PLUG  | 300        | 10/BAG |
| PLUG038 | 3%" POLY PIPE PLUG   | 300        | 10/BAG |
| PLUG050 | ½" POLY PIPE PLUG    | 300        | 10/BAG |
| PLUG075 | 3/4" POLY PIPE PLUG  | 300        | 10/BAG |
| PLUG100 | 1" POLY PIPE PLUG    | 300        | 10/BAG |
| PLUG125 | 11/4" POLY PIPE PLUG | 300        | 10/BAG |
| PLUG150 | 1½" POLY PIPE PLUG   | 300        | 10/BAG |
| PLUG200 | 2" POLY PIPE PLUG    | 300        | 10/BAG |
| PLUG300 | 3" POLY PIPE PLUG    | 300        | 1      |



|         | TEES          |            |        |
|---------|---------------|------------|--------|
| PART NO | DESCRIPTION   | MAX<br>PSI | QTY    |
| TEE025  | 1/4" POLY TEE | 300        | 10/BAG |
| TEE038  | 3/8" POLY TEE | 300        | 10/BAG |
| TEE050  | ½" POLY TEE   | 300        | 10/BAG |
| TEE075  | 3/4" POLY TEE | 300        | 10/BAG |
| TEE100  | 1" POLY TEE   | 300        | 10/BAG |
| TEE125  | 1¼" POLY TEE  | 300        | 10/BAG |
| TEE150  | 1½" POLY TEE  | 300        | 1      |
| TEE200  | 2" POLY TEE   | 300        | 1      |
| TEE300  | 3" POLY TEE   | 225        | 1      |



| HOSE BARB CROSS |                         |            |     |
|-----------------|-------------------------|------------|-----|
| PART NO         | DESCRIPTION             | MAX<br>PSI | QTY |
| HBC050075       | ½" X ¾" HOSE BARB CROSS | 300        | 1   |



|         | GAUGE PORT TEE                      |            |        |
|---------|-------------------------------------|------------|--------|
| PART NO | DESCRIPTION                         | MAX<br>PSI | QTY    |
| TEG075  | 3/4" POLY TEE W/ 1/4" FEMALE THREAD | 300        | 10/BAG |
| TEG100  | 1" POLY TEE W/ 1/4" FEMALE THREAD   | 300        | 10/BAG |

**PIPE FITTINGS** 



|          | 90° ELBOWS           |            |        |
|----------|----------------------|------------|--------|
| PART NO  | DESCRIPTION          | MAX<br>PSI | QTY    |
| EL025-90 | 1/4" 90° POLY ELBOW  | 300        | 10/BAG |
| EL038-90 | 3%" 90° POLY ELBOW   | 300        | 10/BAG |
| EL050-90 | ½" 90° POLY ELBOW    | 300        | 10/BAG |
| EL075-90 | 3/4" 90° POLY ELBOW  | 300        | 10/BAG |
| EL100-90 | 1" 90° POLY ELBOW    | 300        | 10/BAG |
| EL125-90 | 11/4" 90° POLY ELBOW | 300        | 10/BAG |
| EL150-90 | 1½" 90° POLY ELBOW   | 300        | 10/BAG |
| EL200-90 | 2" 90° POLY ELBOW    | 300        | 1      |
| EL300-90 | 3" 90° POLY ELBOW    | 300        | 1      |



| 45° STREET ELBOWS           |   |  |
|-----------------------------|---|--|
| DESCRIPTION                 | MAX<br>PSI  | QTY  |
| 3/4" 45° POLY STREET ELBOW  | 300   | 10/BAG   |
| 1" 45° POLY STREET ELBOW    | 300   | 10/BAG   |
| 11/4" 45° POLY STREET ELBOW | 300   | 10/BAG   |
| 1½" 45° POLY STREET ELBOW   | 300   | 10/BAG   |
| 2" 45° POLY STREET ELBOW    | 225   | 10/BAG   |
| 3" 45° POLY STREET ELBOW    | 300   | 1  |
|                             | DESCRIPTION  3/4" 45° POLY STREET ELBOW  1" 45° POLY STREET ELBOW  11/4" 45° POLY STREET ELBOW  11/2" 45° POLY STREET ELBOW  2" 45° POLY STREET ELBOW | Meson     PSI       3/4" 45° POLY STREET ELBOW     300       1" 45° POLY STREET ELBOW     300       11/4" 45° POLY STREET ELBOW     300       11/2" 45° POLY STREET ELBOW     300       2" 45° POLY STREET ELBOW     225 |



- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities







| 90° HOSE BARB ELBOW |                                     |            |        |
|---------------------|-------------------------------------|------------|--------|
| PART NO             | DESCRIPTION                         | MAX<br>PSI | QTY    |
| HBB20012590         | 2" X 11/4" 90° POLY HOSE BARB ELBOW | 300        | 10/BAG |



|          | 90° STREET ELBOWS           |            |        |
|----------|-----------------------------|------------|--------|
| PART NO  | DESCRIPTION                 | MAX<br>PSI | QTY    |
| SL025-90 | 1/4" 90° POLY STREET ELBOW  | 300        | 10/BAG |
| SL038-90 | 3/8" 90° POLY STREET ELBOW  | 300        | 10/BAG |
| SL050-90 | ½" 90° POLY STREET ELBOW    | 300        | 10/BAG |
| SL075-90 | 3/4" 90° POLY STREET ELBOW  | 300        | 10/BAG |
| SL100-90 | 1" 90° POLY STREET ELBOW    | 300        | 10/BAG |
| SL125-90 | 11/4" 90° POLY STREET ELBOW | 300        | 10/BAG |
| SL150-90 | 1½" 90° POLY STREET ELBOW   | 300        | 10/BAG |
| SL200-90 | 2" 90° POLY STREET ELBOW    | 300        | 10/BAG |
| SL300-90 | 3" 90° POLY STREET ELBOW    | 300        | 1      |



| 90° HOSE BARB ELBOW |                                   |            |        |  |
|---------------------|-----------------------------------|------------|--------|--|
| PART NO             | DESCRIPTION                       | MAX<br>PSI | QTY    |  |
| HBEL100-90          | 1" 90° POLY HOSE BARB ELBOW       | 300        | 10/BAG |  |
| HBEL150/100-90      | 1½" X 1" 90° POLY HOSE BARB ELBOW | 300        | 1      |  |

### **HOSE BARBS**

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities



|           | STRAIGHT HOSE BARB                  | S          |        |
|-----------|-------------------------------------|------------|--------|
| PART NO   | DESCRIPTION                         | MAX<br>PSI | QTY    |
| HB025     | 1/4" MALE THREAD X 1/4" HOSE BARB   | 300        | 10/BAG |
| HB025-038 | 1/4" MALE THREAD X 3/8" HOSE BARB   | 300        | 10/BAG |
| HB025-050 | 1/4" MALE THREAD X 1/2" HOSE BARB   | 300        | 10/BAG |
| HB038     | 3%" MALE THREAD X 3%" HOSE BARB     | 300        | 10/BAG |
| HB038-025 | 3/8" MALE THREAD X 1/4" HOSE BARB   | 300        | 10/BAG |
| HB038-050 | 3/8" MALE THREAD X 1/2" HOSE BARB   | 300        | 10/BAG |
| HB050-025 | ½" MALE THREAD X ¼" HOSE BARB       | 300        | 10/BAG |
| HB050-038 | ½" MALE THREAD X 3/8" HOSE BARB     | 300        | 10/BAG |
| HB050     | ½" MALE THREAD X ½" HOSE BARB       | 300        | 10/BAG |
| HB050-075 | ½" MALE THREAD X ¾" HOSE BARB       | 300        | 10/BAG |
| HB075-038 | 3/4" MALE THREAD X 3/8" HOSE BARB   | 300        | 10/BAG |
| HB075-050 | 3/4" MALE THREAD X 1/2" HOSE BARB   | 300        | 10/BAG |
| HB075-058 | 3/4" MALE THREAD X 5/8" HOSE BARB   | 300        | 10/BAG |
| HB075     | 3/4" MALE THREAD X 3/4" HOSE BARB   | 300        | 10/BAG |
| HB075-100 | 3/4" MALE THREAD X 1" HOSE BARB     | 300        | 10/BAG |
| HB100-075 | 1" MALE THREAD X 3/4" HOSE BARB     | 300        | 10/BAG |
| HB100     | 1" MALE THREAD X 1" HOSE BARB       | 300        | 10/BAG |
| HB100-125 | 1" MALE THREAD X 11/4" HOSE BARB    | 300        | 10/BAG |
| HB125-075 | 11/4" MALE THREAD X 3/4" HOSE BARB  | 300        | 10/BAG |
| HB125-100 | 11/4" MALE THREAD X 1" HOSE BARB    | 300        | 10/BAG |
| HB125     | 11/4" MALE THREAD X 11/4" HOSE BARB | 300        | 10/BAG |
| HB125-150 | 11/4" MALE THREAD X 11/2" HOSE BARB | 300        | 10/BAG |
| HB150-100 | 1½" MALE THREAD X 1" HOSE BARB      | 300        | 10/BAG |
| HB150-125 | 1½" MALE THREAD X 1¼" HOSE BARB     | 300        | 10/BAG |
| HB150     | 1½" MALE THREAD X 1½" HOSE BARB     | 300        | 10/BAG |
| HB150-200 | 1½" MALE THREAD X 2" HOSE BARB      | 300        | 10/BAG |
| HB200-150 | 2" MALE THREAD X 1½" HOSE BARB      | 300        | 10/BAG |
| HB200     | 2" MALE THREAD X 2" HOSE BARB       | 300        | 10/BAG |
| HB300     | 3" MALE THREAD X 3" HOSE BARB       | 225        | 1      |
| HB400     | 4" MALE THREAD X 4" HOSE BARB       | 150        | 1      |
|           |                                     |            |        |



| 90° HOSE BARBS |   |            |        |
|----------------|---|------------|--------|
| PART NO        | DESCRIPTION   | MAX<br>PSI | QTY    |
| HB025-90       | 1/4" MALE THREAD X 1/4" 90° HOSE BARB   | 300        | 10/BAG |
| HB025/038-90   | 1/4" MALE THREAD X 3/8" 90° HOSE BARB   | 300        | 10/BAG |
| HB025/050-90   | 1/4" MALE THREAD X 1/2" 90° HOSE BARB   | 300        | 10/BAG |
| HB038-90       | 3/8" MALE THREAD X 3/8" 90° HOSE BARB   | 300        | 10/BAG |
| HB050/038-90   | ½" MALE THREAD X 3/8" 90° HOSE BARB   | 300        | 10/BAG |
| HB050-90       | 1/2" MALE THREAD X 1/2" 90° HOSE BARB   | 300        | 10/BAG |
| HB050/075-90   | ½" MALE THREAD X ¾" 90° HOSE BARB   | 300        | 10/BAG |
| HB075/050-90   | <sup>3</sup> ⁄ <sub>4</sub> " MALE THREAD X <sup>1</sup> ⁄ <sub>2</sub> " 90° HOSE BARB | 300        | 10/BAG |
| HB075-90       | 3/4" MALE THREAD X 3/4" 90° HOSE BARB   | 300        | 10/BAG |
| HB075/100-90   | 3/4" MALE THREAD X 1" 90° HOSE BARB   | 300        | 10/BAG |
| HB100/075-90   | 1" MALE THREAD X ¾" 90° HOSE BARB   | 300        | 10/BAG |
| HB100-90       | 1" MALE THREAD X 1" 90° HOSE BARB   | 300        | 10/BAG |
| HB100/125-90   | 1" MALE THREAD X 11/4" 90° HOSE BARB  | 300        | 10/BAG |
| HB125/100-90   | 11/4" MALE THREAD X 1" 90° HOSE BARB  | 300        | 10/BAG |
| HB125-90       | 11/4" MALE THREAD X 11/4" 90° HOSE BARB   | 300        | 10/BAG |
| HB125/150-90   | 11/4" MALE THREAD X 11/2" 90° HOSE BARB   | 300        | 10/BAG |
| HB150/125-90   | 1½" MALE THREAD X 1¼" 90° HOSE BARB   | 300        | 10/BAG |
| HB150-90       | 1½" MALE THREAD X 1½" 90° HOSE BARB   | 300        | 10/BAG |
| HB200/150-90   | 2" MALE THREAD X 1½" 90° HOSE BARB  | 300        | 10/BAG |
| HB200-90       | 2" MALE THREAD X 2" 90° HOSE BARB   | 300        | 10/BAG |
| HB300-90       | 3" MALE THREAD X 3" 90° HOSE BARB   | 225        | 1      |
|                |   |            |        |



| 316 8       | 316 STAINLESS STEEL HOSE BARBS                           |            |     |  |
|-------------|--|------------|-----|--|
| PART NO     | DESCRIPTION  | MAX<br>PSI | QTY |  |
| HB025SS     | 1/4" MALE THREAD X 1/4" HOSE SHANK                       | 300        | 1   |  |
| HB025-038SS | $\frac{1}{4}$ " MALE THREAD X $\frac{3}{8}$ " HOSE SHANK | 300        | 1   |  |
| HB025-050SS | ¼" MALE THREAD X ½" HOSE SHANK                           | 300        | 1   |  |
| HB038SS     | $^3\!\!$ /8" MALE THREAD X $^3\!\!$ //8" HOSE SHANK      | 300        | 1   |  |
| HB038-050SS | $^3\!\!$ %" MALE THREAD X $^1\!\!$ ½" HOSE SHANK         | 300        | 1   |  |
| HB050SS     | ½" MALE THREAD X ½" HOSE SHANK                           | 300        | 1   |  |
| HB050-058SS | ½" MALE THREAD X 5%" HOSE SHANK                          | 300        | 1   |  |
| HB050-075SS | $\frac{1}{2}$ " MALE THREAD X $\frac{3}{4}$ " HOSE SHANK | 300        | 1   |  |
| HB075-050SS | $^{3}\!\!4$ " MALE THREAD X $^{1}\!\!2$ " HOSE SHANK     | 300        | 1   |  |
| HB075SS     | $^3\!\!4$ " MALE THREAD X $^3\!\!4$ " HOSE SHANK         | 300        | 1   |  |
| HB075-100SS | 3/4" MALE THREAD X 1" HOSE SHANK                         | 300        | 1   |  |
| HB100-075SS | 1" MALE THREAD X 3/4" HOSE SHANK                         | 300        | 1   |  |
| HB100SS     | 1" MALE THREAD X 1" HOSE SHANK                           | 300        | 1   |  |
| HB125SS     | 11/4" MALE THREAD X 11/4" HOSE SHANK                     | 300        | 1   |  |
| HB150SS     | 1½" MALE THREAD X 1½" HOSE SHANK                         | 300        | 1   |  |
| HB200SS     | 2" MALE THREAD X 2" HOSE SHANK                           | 300        | 1   |  |
| HB300SS     | 3" MALE THREAD X 3" HOSE SHANK                           | 300        | 1   |  |



| FEMALE HOSE BARBS |                                    |            |        |  |
|-------------------|------------------------------------|------------|--------|--|
| PART NO           | DESCRIPTION                        | MAX<br>PSI | QTY    |  |
| HBF075            | ¾" FEMALE THREAD                   | 300        | 10/BAG |  |
| HBF075-100        | 3/4" FEMALE THREAD X 1" HOSE SHANK | 300        | 10/BAG |  |
| HBF100            | 1" FEMALE THREAD X 1" HOSE SHANK   | 300        | 10/BAG |  |



| HOSE BARB TEES |   |            |        |
|----------------|---|------------|--------|
| PART NO        | DESCRIPTION   | MAX<br>PSI | QTY    |
| HBT025         | 1/4" HOSE BARB TEE  | 300        | 10/BAG |
| HBT038         | 3%" HOSE BARB TEE   | 300        | 10/BAG |
| HBT050-038     | ½" X ½" X ¾" HOSE BARB TEE  | 300        | 10/BAG |
| HBT050         | ½" HOSE BARB TEE  | 300        | 10/BAG |
| HBT050-075     | ½" X ½" X ¾" HOSE BARB TEE  | 300        | 10/BAG |
| HBT075-050     | $^{3}\!\!/_{4}$ " $\chi$ $^{3}\!\!/_{4}$ " $\chi$ $^{1}\!\!/_{2}$ " HOSE BARB TEE | 300        | 10/BAG |
| HBT075         | 3/4" HOSE BARB TEE  | 300        | 10/BAG |
| HBT075-100     | 3/4" X 3/4" X 1" HOSE BARB TEE  | 300        | 10/BAG |
| HBT100-075     | 1" X 1" X 3/4" HOSE BARB TEE  | 300        | 10/BAG |
| HBT100         | 1" HOSE BARB TEE  | 300        | 10/BAG |
| HBT200         | 2" HOSE BARB TEE  | 300        | 1      |
| HBT300         | 3" HOSE BARB TEE  | 300        | 1      |



| Н          | HOSE BARB THREADED TEES   |            |        |  |  |
|------------|---|------------|--------|--|--|
| PART NO    | DESCRIPTION   | MAX<br>PSI | QTY    |  |  |
| HBT100-100 | 1"HOSE BARB X 1"HOSE BARB X 1"<br>MALE THREAD HOSE BARB TEE     | 300        | 10/BAG |  |  |
| HBT150-100 | 1½" HOSE BARB X 1½" HOSE BARB<br>X 1" MALE THREAD HOSE BARB TEE | 300        | 1      |  |  |
| HBT150-150 | 1½" HOSE BARB X 1½" HOSE BARB<br>X1½" MALE THREAD HOSE BARB TEE | 300        | 1      |  |  |



| SS HOSE BARB THREADED TEES |  |            |     |
|----------------------------|--|------------|-----|
| PART NO                    | DESCRIPTION  | MAX<br>PSI | QTY |
| HBT075-050SS               | 3/4" HOSE BARB X 3/4" HOSE BARB X 1/2" MALE THREAD HOSE BARB TEE | 150        | 1   |



|         | HOSE MENDERS            |            |        |
|---------|-------------------------|------------|--------|
| PART NO | DESCRIPTION             | MAX<br>PSI | QTY    |
| HM025   | 1/4" X 1/4" HOSE BARB   | 300        | 10/BAG |
| HM038   | 3%" X 3%" HOSE BARB     | 300        | 10/BAG |
| HM050   | ½" X ½" HOSE BARB       | 300        | 10/BAG |
| HM075   | 3/4" X 3/4" HOSE BARB   | 300        | 10/BAG |
| HM100   | 1" X 1" HOSE BARB       | 300        | 10/BAG |
| HM125   | 11/4" X 11/4" HOSE BARB | 300        | 10/BAG |
| HM150   | 1½" X 1½" HOSE BARB     | 300        | 10/BAG |
| HM200   | 2" X 2" HOSE BARB       | 300        | 10/BAG |
| HM300   | 3" X 3" HOSE BARB       | 300        | 1      |





| SWIVELS |  |            |     |  |
|---------|--|------------|-----|--|
| PART NO | DESCRIPTION                                    | MAX<br>PSI | QTY |  |
| SW100   | 1" MALE X 1" FEMALE SWIVEL                     | 300        | 1   |  |
| SW150   | 1½" MALE X 1½" FEMALE SWIVEL                   | 300        | 1   |  |
| SW220   | 2" FULL PORT MALE X 2" FULL PORT FEMALE SWIVEL | 150        | 1   |  |




| 8 STATION MANIFOLD |   |            |     |
|--------------------|---|------------|-----|
| PART NO            | DESCRIPTION   | MAX<br>PSI | QTY |
| TM075/050          | 8 STATION MANIFOLD 3/4" INLET X<br>1/2" OUTLET, 1/4" GAUGE PORT | 225        | 1   |

### **PIPE FITTINGS**

#### **FEATURES**

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities



We DO NOT recommend using pipe tape. Pipe tape enlarges the outside diameter of the male thread and may cause the female thread to split. We recommend using a pipe thread sealant. Use on clean tapered threads. Apply a thick even coat on male threads using brush applicator. For pipe diameters smaller than  $1\frac{1}{4}$ " apply to male threads only. For  $1\frac{1}{4}$ " and larger sizes apply to both male and female threads. Avoid applying excessive amounts. Hand tighten joints and then torque another  $\frac{1}{2}$  to  $\frac{3}{4}$  turn until threads seal.

We can no longer ship this product outside of the United States.

#### PIPE SEALANT

- RectorSeal® No. 21™ is slow drying, soft set multi-purpose sealant designed for use where black is preferred. 8 oz can with brush in the cap. Conforms to TT-S-1732.
- RECTORSEAL® TRU-BLU™ is fast drying, flexible set designed for high vibration environments. Teflon™has been added to enhance thread lubrication during assembly and break out. Conforms to TT-S-1732.
   \*DuPont Registered Trademark



